



## This course covers the PowerQUICC II Pro MPC8308

### Objectives

- The course explain the architecture of the MPC8308, particularly the operation of the coherency module that interconnects the e300 to memory and high-speed interfaces.
- Cache coherency protocol is introduced in increasing depth.
- The e300 core is viewed in detail, especially the MMU .
- The boot sequence and the clocking are explained.
- The course focuses on the hardware implementation of the MPC8308.
- A long introduction to DDR SDRAM operation is done before studying the DDR1/2 SDRAM controller.
- The course describes the sophisticated QoS mechanisms supported by the eTSEC Ethernet Controllers.
- Implementation of Precise Time Protocol is also explained.
- Generation of a Linux image and Root File System by using LTIB can also be included into the training.
- Products and services offered by ACSYS:
  - ACSYS is able to assist the customer by providing consultancies
  - Typical expertises are done during board bringup, hardware schematics review, software debugging, performance tuning.
  - Note that ACSYS has delivered several consultancies on NXP Netcomm SoCs to companies developing avionic equipments.

*A more detailed course description is available on request at [formation@ac6-formation.com](mailto:formation@ac6-formation.com)*

*A lot of programming examples have been developed by ACSYS to explain the boot sequence and the operation of complex peripherals, such as USB and Ethernet.*

- *They have been developed with Diab Data compiler and are executed using Lauterbach debugger.*

### Prerequisites and related courses

- Experience of a 32-bit processor or DSP is mandatory.
- The following courses could be of interest:
  - Ethernet and switching, reference cours [N1 - Ethernet and switching](#)
  - IEEE1588, reference cours [N2 - IEEE1588 - Precise Time Protocol](#)
  - PCI Express, reference cours [IC4 - PCI Express 3.0](#)
  - USB Full Speed High Speed and USB On-The-Go, reference cours [IP2 - USB 2.0](#)
  - SD / MMC, reference cours [IS2 - eMMC 5.0](#)
  - CAN bus, reference cours [IA1 - CAN bus](#)

### Environnement du cours

- Cours théorique
  - Support de cours au format PDF (en anglais) et une version imprimée lors des sessions en présentiel
  - Cours dispensé via le système de visioconférence Teams (si à distance)
  - Le formateur répond aux questions des stagiaires en direct pendant la formation et fournit une assistance technique et pédagogique
- Au début de chaque demi-journée une période est réservée à une interaction avec les stagiaires pour s'assurer que le cours répond à leurs attentes et l'adapter si nécessaire

## Audience visée

- Tout ingénieur ou technicien en systèmes embarqués possédant les prérequis ci-dessus.

## Modalités d'évaluation

- Les prérequis indiqués ci-dessus sont évalués avant la formation par l'encadrement technique du stagiaire dans son entreprise, ou par le stagiaire lui-même dans le cas exceptionnel d'un stagiaire individuel.
- Les progrès des stagiaires sont évalués par des quizz proposés en fin des sections pour vérifier que les stagiaires ont assimilé les points présentés
- En fin de formation, une attestation et un certificat attestant que le stagiaire a suivi le cours avec succès.
  - En cas de problème dû à un manque de prérequis de la part du stagiaire, constaté lors de la formation, une formation différente ou complémentaire lui est proposée, en général pour conforter ses prérequis, en accord avec son responsable en entreprise le cas échéant.

## Plan

### INTRODUCTION TO MPC8308

## SOC ARCHITECTURE

- Internal architecture
- Highlighting data paths inside the MPC8308
- Software migration from MPC8XX/MPC82XX/MPC85XX families
- Application examples

### THE e300c3 CORE

## THE INSTRUCTION PIPELINE

- Superscalar operation, out-of-order execution, register renaming, serializations, isync instruction
- Branch processing unit: static prediction vs dynamic prediction

## DATA AND INSTRUCTION PATHS

- Load / store buffers
- Sync and eieio instructions, determining where eieio is really required
- Store gathering mechanism

## CACHES

- Cache basics
- L1 caches
- Cache coherency mechanism, snooping, related signals
- The MEI state machine
- Management of cache enabled pages shared with DMAs
- Software enforced cache coherency
- Cache flush routine

## SOFTWARE IMPLEMENTATION

- PowerPC architecture specification, the 3 books UISA, VEA and OEA
- Addressing modes, load / store instructions
- Floating point arithmetical instructions
- The PowerPC EABI

- Linking an application with Diab Data

## **THE MMU**

- Introduction to real, block and segmentation / pagination translations
- Memory attributes and access rights definition
- TLBs organization
- Segment-translation
- Page-translation
- MMU implementation in real-time sensitive applications

## **THE EXCEPTION MECHANISM**

- Critical interrupt, automatic nesting
- Exception management mechanism
- Requirements to allow exception nesting

## **THE DEBUG PORT**

- JTAG emulation, restrictions
- Hardware breakpoints

## **SOC INFRASTRUCTURE**

## **POWER, RESET AND CLOCKING**

- Power management control
- Configuration signals sampled at reset
- Utilization of the I2C boot sequencer
- Clocking

## **PLATFORM CONFIGURATION**

- Address translation and mapping
- Arbiter and bus monitor
- Timers, software watchdog timer, Real time clock module, Periodic Interval Timer, General Purpose Timers

## **INTEGRATED PROGRAMMABLE INTERRUPT CONTROLLER**

- Definition of interrupt priorities
- System critical interrupt
- Interrupt management, vector register
- Requirements to support nesting

## **THE DDR2 MEMORY CONTROLLER**

- DDR-SDRAM operation
- Jedec specification basics
- Command truth table
- Bank activation, read, write and precharge timing diagrams, page mode
- Initial configuration following Power-on-Reset
- Address decode
- Timing parameters programming

## **ENHANCED LOCAL BUS CONTROLLER**

- Multiplexed or non-multiplexed address and data buses
- Dynamic bus sizing
- GPCM, UPMs states machines

- Nand Flash Controller
- Booting from NAND flash

## **ENHANCED SECURE DEVICE HOST CONTROLLER**

- Multi-block transfers
- Moving data by using the dedicated DMA controller
- Dividing large data transfers
- Card insertion and removal detection

## **PCI EXPRESS INTERFACE**

- Implementation of a unique VC
- Selectable operation as agent or root complex
- Address translation

## **DMA ENGINE**

- Transfer control descriptor format
- Channel service request
- Channel-to-channel linking mechanism
- Scatter/gather DMA processing

## **CONNECTIVITY**

### **THE USB 2.0 CONTROLLER**

- Dual-role (DR) operation
- EHCI implementation
- ULPI interfaces to the transceiver
- Endpoints configuration

### **THE ETHERNET CONTROLLERS**

- Frame format with and without VLAN option
- MAC address recognition
- Interface with the PHY
- Buffer descriptors management
- TCP/IP Offload Engine
- Quality of service support
- IEEE1588 frame timestamping

### **LOW SPEED PERIPHERALS**

- UART
- I2C
- SPI controller

## **Linux Target Image Builder (LTIB)**

### **GENERATING THE LINUX KERNEL IMAGE**

- Introducing the tools required to generate the kernel image
- What is required on the host before installing LTIB
- Common package selection screen
- Common target system configuration screen
- Building a complete BSP with the default configurations
- Creating a Root Filesystems image

- e-configuring the kernel under LTIB
- Selecting user-space packages
- Setup the bootloader arguments to use the exported RFS
- Debugging Uboot and the kernel by using Trace32
- Command line options
- Adding a new package
- Other deployment methods
- Creating a new package and integrating it into LTIB
  - A lot of labs have been created to explain the usage of LTIB

## Renseignements pratiques

**Renseignements : 5 jours**