



FC1 - MPC755 implementation

This course covers Freescale G3 Power CPU

Objectives

- The training aims to understand the PowerPC programming environment through the MPC755 processor.
- A focus is done on the PowerPC EABI which is fundamental when C programs are to be interfaced with assembly routines.
- The pipeline is viewed in detail in order to infer instructions scheduling guidelines.
- Many Diab Data PowerPC specific compiler options are studied.
- A flush routine is used to clarify the data path between L1 data cache, L2 cache and SDRAM main memory.
- The course details the segmentation / pagination mechanism used to protect process.
- A generic exception handler is described.
- The hardware implementation and particularly the analysis of the L2 bus timings are handled with great care.
- This course has been delivered several times to companies involved in the design of avionics critical systems.

A more detailed course description is available on request at info@ac6-training.com

Experience of a 32 bit processor or DSP is mandatory.

Plan

THE INSTRUCTION PIPELINE

- MPC755 implementation : superscalar operation, out-of-order execution, register renaming, serializations, isync instruction.
- Branch processing unit : BTIC, static prediction vs dynamic prediction, speculative loads, guarded memory.
- Branch instructions.
- Coding guidelines.

DATA AND INSTRUCTION PATHS

- Load / store buffers
- Sync and eieio instructions
- Store gathering mechanism

CACHES

- Cache basics
- L1 caches: PLRU algorithm
- Shared resource management
- Cache coherency mechanism
- The MEI state machine

- Management of cache enabled pages shared with PCI DMAs
- Reservation coherency, management of Boolean semaphores in a multi-processor system
- Cache related instructions
- Cache flush routine
- The L2 cache, organization, replacement algorithm
- Implementation of a private memory

SOFTWARE IMPLEMENTATION

- PowerPC architecture specification, the 3 books UISA, VEA and OEA
- 7XX registers
- addressing modes
- Integer instructions
- IEEE754 basics
- Floating point load / store instructions
- Floating point arithmetical instructions
- The PowerPC EABI
- Linking an application with Diab Data

THE MMU

- Thread vs process
- Introduction to real, block and segmentation / pagination translations
- Memory attributes and access rights definition
- Virtual space benefit, page protection through segmentation
- TLBs organization
- Segmentation : process ID definition
- Pagination : PTE table organization, tablesearch algorithm
- Benefits of the software tablewalk in comparison with the hardware tablewalk
- MMU implementation in real-time sensitive applications

THE EXCEPTION MECHANISM

- Save / restore registers SRR0/SRR1, rfi instruction
- Exception management mechanism
- Registers updating according to the exception cause
- Requirements to allow exception nesting

HARDWARE IMPLEMENTATION

- Hreset vs Sreset
- Bus operation
- Address phase
- Data phase
- Address decode logic design
- Minimal implementation
- The L2 bus, supported synchronous SRAM technologies
- Objectives of the DLL
- Timing analysis, AN1794/D
- Low power modes
- Discrete signals

THE PERFORMANCE MONITOR

- Objectives of the performance monitor
- Event counting
- Programming interface

THE DEBUG PORT

- JTAG emulation
- Real time trace requirements
- Code instrumentation
- Hardware breakpoints

Renseignements pratiques

Duration : 5 days
Cost : 2100 € HT



SARL au capital de 15400€ - SIRET 449 597 103 00026 - RCS Nanterre - NAF 722C - Centre de Formation : 19, rue Pierre Curie - 92400 Courbevoie
Siège social et administration : 21, rue Pierre Curie - 92400 Courbevoie - Tél. 01 41 16 80 10 - Fax. 01 41 16 07 78

Last site update: Mon 13 Feb 2012 02:28:18 PM CET

<http://www.ac6-formation.com/>