



FPQ3 - MPC825X/6X/7X/8X implementation

This course PowerQUICC II devices, MPC825X, MPC826X, MPC827X,
MPC828X families

Objectives

- This course describes the various data paths existing in the PowerQUICC II.
- Cache coherency protocol is introduced in increasing depth.
- The 32-bit G2 core is viewed in detail, especially the MMU and the cache.
- The boot sequence and the clocking are explained.
- A long introduction to SDRAM operation is done before studying the SDRAM controller.
- An in-depth description of the PCI controller is performed.
- The course highlights both hardware and software implementation of fast Ethernet controllers.
- The USB interface is also detailed.
- The course describes the Time Slot Assigner initialization in order to process E1 frames.
- The ATM VCI/VPI address lookup mechanism through CAM memory is studied.
- The ATM traffic shaper is explained through examples.

A lot of programming examples have been developed by ACSYS to explain the boot sequence and the operation of complex peripherals, such as FCC and SDRAM controller.

-They have been developed with Diab Data compiler and are executed under Lauterbach debugger.

A more detailed course description is available on request at info@ac6-training.com

Prerequisites and related courses

- Experience of a 32-bit processor or DSP is mandatory.
- The following courses could be of interest:
 - Ethernet and switching, reference [N1](#)
 - PCI, reference [IC1](#)
 - USB Full Speed High Speed and USB On-The-Go, reference [IP2](#)

Plan

INTRODUCTION TO PowerQUICC II

OVERVIEW

- Enhancements compared to PowerQUICC I
- Pinout, pin groups

- Block diagram : characteristics of each of the 3 internal modules G2 core, SIU and CPM
- Application examples

THE G2 CORE

THE INSTRUCTION PIPELINE

- G2 implementation
- Branch processing unit
- Branch instructions
- Coding guidelines

DATA PATHS

- Load / store architecture
- Load / store buffers
- Sync and eieio instructions

CACHES

- Cache basics
- Cache locking
- L1 caches
- Cache coherency mechanism
- Basic snoop requests
- Management of cache enabled pages shared with DMAs
- Cache related instructions
- Cache flush routine

SOFTWARE IMPLEMENTATION

- PowerPC architecture specification, the 3 books UISA, VEA and OEA
- Addressing modes, load / store instructions
- Integer instructions
- Rotate instructions
- IEEE754 basics
- Floating point arithmetical instructions
- The PowerPC EABI
- Linking an application with Diab Data

THE MMU

- Thread vs process
- Introduction to real, block and segmentation / pagination translations
- Memory attributes and access rights definition
- Virtual space benefit
- TLB organization
- Segmentation
- Pagination
- MMU implementation in real-time sensitive applications

THE EXCEPTION MECHANISM

- Save / restore registers SRR0/SRR1, rfi instruction
- Exception management mechanism
- Registers updating according to the exception cause

- Requirements to allow exception nesting

THE DEBUG PORT

- JTAG emulation
- Real time trace requirements
- Code instrumentation
- Hardware breakpoints

THE PLATFORM CONFIGURATION

POWER, RESET AND CLOCKING

- Power on /down sequence
- Power management control
- Reset causes
- Reset configuration word
- Booting a multi-PQII system
- Clocking

THE 60X BUS

- 60X bus operation
- 60X bus cycles overview
- Dynamic bus sizing
- Configuration registers

THE MEMORY CONTROLLER

- Arbitration between internal and external masters
- The 60X to Local bus bridge
- Introduction to DRAM / SDRAM
- UPM implementation
- GPCM implementation,
- SDRAMs machine description
- Bank vs page interleaving

THE PCI BRIDGE

- Arbitration, bus parking, arbitration algorithm
- Supported bus commands
- Definition of inbound and outbound address ranges
- Bus errors processing
- Messaging

THE SIU MODULE

- System protection and configuration
- PIT and SWT system timers
- Interrupt controller
- Sequence required to find the interrupt cause

GENERAL PURPOSE PERIPHERALS

- Programming GPIOs
- General purpose timers

THE COMMUNICATION PROCESSOR MODULE

INTRODUCTION TO CPM

- Synchronization between G2 core and CP, command register
- DPRAM organization
- Introduction to buffer descriptors and buffer management
- Chaining descriptors
- IDMA and SDMA channels

THE SERIAL INTERFACE

- NMSI versus TDM
- Supported protocols and max data rate
- Transmit and receive clock selection
- Baud rate generators
- Interrupt management

THE MULTI CHANNEL CONTROLLERS

- Focus on the difference between Time Slot and Channel
- Programming Super channels
- HDLC channel parameters
- Interrupt queues

THE SERIAL COMMUNICATION CONTROLLERS

- Data encoding /decoding selection
- Hardware flow management
- UART on SCC
- HDLC on SCC
- 10 Mbps Ethernet on SCC

THE I2C CONTROLLER

- I2C protocol explanation
- Clock stretching
- Description of the I2C controller implemented in the PowerQUICC II

THE SPI CONTROLLER

- SPI protocol
- Transmit and receive sequence

FAST ETHERNET CONTROLLER

- · MAC operation
- 802.3u basics
- MII vs RMII interface
- Hash tables utility
- CSMA/CD vs full duplex Ethernet, pause packet
- Remote monitoring

THE USB 1.1 CONTROLLER

- USB integration in the MPC827X/8X
- Host controller limitation
- Hardware implementation
- Host vs Device operation

THE ATM CONTROLLER [On request]

ATM BASICS

- Main features
- ATM benefit compared to X.25 or ISDN
- UNI and NNI network interfaces
- Cell format
- Virtual connection
- Layer model
- AAL1 layer: circuit emulation
- AAL3/4: used by the service providers
- AAL5: packet transfer
- Connection establishment

ATM TRAFFIC MANAGEMENT

- The 5 service classes defined by the ATM forum : CBR, VBRrt, VBRnrt, UBR, ABR
- The QoS ATM attributes
- Traffic shaping

MPC826X ATM CONTROLLER

- Utopia 2 hardware interface : multi-PHY control
- APC unit
- VCI/VPI of incoming cells lookup
- Performance monitoring
- ATM/TDM interworking
- Interrupts queue
- Enhanced features of the MPC828X

Renseignements pratiques

Duration : 5 days
Cost : 2100 € HT



SARL au capital de 15400€ - SIRET 449 597 103 00026 - RCS Nanterre - NAF 722C - Centre de Formation : 19, rue Pierre Curie - 92400 Courbevoie
Siège social et administration : 21, rue Pierre Curie - 92400 Courbevoie - Tél. 01 41 16 80 10 - Fax. 01 41 16 07 78

Last site update: Tue 22 May 2012 10:50:29 AM CEST

<http://www.ac6-formation.com/>