

FPQ1 - MPC8XX implementation

This course covers PowerQUICC devices, such as MPC885

Objectives

- The course details PowerPC core low level programming.
- It clarifies the operation of bus controller state machines GPCM and UPMs, including SDRAM interface.
- Time Division Multiplexed frame processing is explained.
- A generic interrupt handler supporting nesting is provided.
- The Ethernet controller is described in detail, particularly the auto-negotiation sequence.
- Debug capabilities and real time trace requirements are studied.

A lot of programming examples have been developed by ACSYS to explain the boot sequence and the operation of complex peripherals, such as FEC and SCC.

• They have been developed with Diab Data compiler and are executed under Lauterbach debugger.

A more detailed course description is available on request at formation@ac6-formation.com

Prerequisites and related courses

- Experience of a 32-bit processor or DSP is mandatory.
- The following courses could be of interest:
 - Ethernet and switching, reference [N1 - Ethernet and switching](#) course
 - USB Full Speed High Speed and USB On-The-Go, reference [IP2 - USB 2.0](#) course

Course Environment

- Theoretical course
 - PDF course material (in English) supplemented by a printed version for face-to-face courses.
 - Online courses are dispensed using the Teams video-conferencing system.
 - The trainer answers trainees' questions during the training and provide technical and pedagogical assistance.
- At the start of each session the trainer will interact with the trainees to ensure the course fits their expectations and correct if needed

Target Audience

- Any embedded systems engineer or technician with the above prerequisites.

Evaluation modalities

- The prerequisites indicated above are assessed before the training by the technical supervision of the trainee in his company, or by the trainee himself in the exceptional case of an individual trainee.
- Trainee progress is assessed by quizzes offered at the end of various sections to verify that the trainees have assimilated the points presented
- At the end of the training, each trainee receives a certificate attesting that they have successfully completed the course.
 - In the event of a problem, discovered during the course, due to a lack of prerequisites by the trainee a different or additional training is offered to them, generally to reinforce their prerequisites, in agreement with their company manager if applicable.

Plan

INTRODUCTION TO MPC8XX

- MPC8XX block diagram : the PowerPC core, the SIU and the CPM modules
- The 3 registers families : GPRs, SPRs, and memory-mapped
- The 860 derivatives features : 85X, 86X, 87X and 88X
- Performance estimation

PowerPC CORE ARCHITECTURE

- RCPU pipeline, history buffer, isync instruction
- Execution units
- Cache basics
- Load/store architecture
- Sync and eieio instructions

PowerPC CORE PROGRAMMING

- User registers
- Branch instructions
- Integer load / store instructions
- Integer arithmetic
- The EABI
- Code and data sections
- Cache related instruction
- Exception management at core level : handler table, priority
- MMU basics
- Tablewalk through the descriptor tables description
- TLB entry software loading

THE SYSTEM INTERFACE UNIT

- The interrupt controller
- MPC8XX hardware configuration at reset : sampling of the configuration word
- Clock synthesizer

THE EXTERNAL BUS INTERFACE

- Dynamic bus sizing, connection of 8 and 16-bit peripherals
- Single data read and write timing diagrams
- Burst read and write timing diagrams
- Shared resource control
- Bus error, retry

THE MEMORY CONTROLLER

- Address decoding through BR/OR registers
- GPCM timing parameters explanation
- SDRAM basics
- Connection of an SDRAM, UPM initialization

CPM BASICS

- Synchronization between RCPU and CP through the Command Register
- DPRAM organization
- The CPM Interrupt Controller
- CPM general purpose timers

- IDMA channels
- General purpose IO : pin configuration

THE SERIAL INTERFACE

- ISDN basics
- NMSI vs TDM
- SDRAM initialization to support ISDN frames
- Transmit and Receive clock selection from the bank of clocks
- Buffer Descriptor rings allocation
- Buffer chaining
- Transmit and receive interrupts

THE SERIAL MANAGEMENT CONTROLLERS

- Supported protocols : transparent, UART and auxiliary ISDN channel
- SMC in UART mode
- SMC restrictions compared to SCC
- Initialization sequence : registers, Parameter RAM, Buffer Descriptors

THE SERIAL COMMUNICATION CONTROLLERS

- The DPLLs : clock recovery
- UART on SCC
- HDLC on SCC
- Ethernet on SCC : 7-wire interface with the transceiver
- Hash table restrictions
- External CAM connection

THE SPI CONTROLLER

- SPI protocol
- Clock polarity and phase selection
- Transmit and receive sequences

THE I2C CONTROLLER

- I2C basics
- Upload of SDRAM parameters located in a DIMM serial EEPROM
- Read and Write sequences

THE USB CONTROLLER

- USB protocol basics
- MPC885 USB controller features
- Hardware interface
- Architecture
- Programming model
- Read and Write sequences
- Initialization sequence

THE FAST ETHERNET CONTROLLER

- CPM independence
- MII pinout
- 7-wire vs MII transceiver connection
- Buffer descriptor description
- Initialization sequence

THE MULTI CHANNEL CONTROLLER

- Logic channel vs time slot
- The time slot assignment tables
- Logic channel processing
- Interrupt queues
- Parameterizing the interface to the framer

THE SECURITY ENGINE

- Encryption basics
- SEC features
- Memory mapping and programming interface
- Crypto channel management
- Master/Slave interface module description
- Initialization sequence

THE DEBUG PORT

- BDM features : watchpoints and breakpoint
- Programming interface
- BDM restrictions
- Real time trace solution

Renseignements pratiques

Duration : 5 days
Cost : 2100 € HT