



STR21 - STM32WL (Sub-GHz/LoRa)

This course describe the WL (Sub-GHz/LoRa) architecture and practical examples

Objectives

- Understand STM32WL SoC (Cortex-M4 + integrated Sub-GHz radio).
- Bring up CubeWL projects (SubGHz_Phy, LoRaWAN middleware).
- Configure RCC, RF clocks, SMPS/VDDPA, and RF paths.
- Build LoRa PHY links (SF/BW/CR, CAD, RX/TX).
- Deploy LoRaWAN Class A (OTAA/ABP), ADR, MAC cmds, downlinks.
- Apply low-power with radio; measure and tune current.
- Handle keys/NVM, region params, production RF checks.

Course Environment

- Theoretical course
 - PDF course material (in English) supplemented by a printed version for face-to-face courses.
 - Online courses are dispensed using the Teams video-conferencing system.
 - The trainer answers trainees' questions during the training and provide technical and pedagogical assistance.
- Practical activities
 - Practical activities represent from 40% to 50% of course duration.
 - Code examples, exercises and solutions
 - For remote trainings:
 - ▶ One Online Linux PC per trainee for the practical activities.
 - ▶ The trainer has access to trainees' Online PCs for technical and pedagogical assistance.
 - ▶ QEMU Emulated board or physical board connected to the online PC (depending on the course).
 - ▶ Some Labs may be completed between sessions and are checked by the trainer on the next session.
 - For face-to-face trainings:
 - ▶ One PC (Linux ou Windows) for the practical activities with, if appropriate, a target board.
 - ▶ One PC for two trainees when there are more than 6 trainees.
 - For onsite trainings:
 - ▶ An installation and test manual is provided to allow preinstallation of the needed software.
 - ▶ The trainer come with target boards if needed during the practical activities (and bring them back at the end of the course).
- Downloadable preconfigured virtual machine for post-course practical activities
- At the start of each session the trainer will interact with the trainees to ensure the course fits their expectations and correct if needed

Target Audience

- Any embedded systems engineer or technician with the above prerequisites.

Evaluation modalities

- The prerequisites indicated above are assessed before the training by the technical supervision of the trainee in his company, or by the trainee himself in the exceptional case of an individual trainee.
- Trainee progress is assessed in two different ways, depending on the course:
 - For courses lending themselves to practical exercises, the results of the exercises are checked by the trainer while, if necessary, helping trainees to carry them out by providing additional details.

- Quizzes are offered at the end of sections that do not include practical exercises to verify that the trainees have assimilated the points presented
- At the end of the training, each trainee receives a certificate attesting that they have successfully completed the course.
 - In the event of a problem, discovered during the course, due to a lack of prerequisites by the trainee a different or additional training is offered to them, generally to reinforce their prerequisites, in agreement with their company manager if applicable.

Plan

Day 1

STM32WL SoC & radio overview

- Cortex-M4 core basics.
- Radio subsystem blocks.
- RFO_LP vs RFO_HP paths.
- SMPS / VDDPA roles.
- RF pins & routing.

Exercise: SoC & RF map

Project bring-up (CubeWL)

- Package structure (Drivers/MW).
- SubGHz_Phy vs LoRaWAN.
- Board/clock templates.
- Minimal UART/LED setup.
- Build & debug checks.

Exercise: App skeleton

RCC & RF clocking

- HSE/LSE choices.
- PLL to SYSCLK.
- RF timing sources.
- CCIPR selectors.
- MCO for verification.

Exercise: Clock profiles

RF front-end & power

- TX power config steps.
- RFO_LP/H Pout ranges.
- DC-DC vs LDO impact.
- Antenna match notes.
- PA ramp & duty cycle.

Exercise: TX power table

LoRa PHY basics

- SF / BW / CR fields.
- Preamble & sync word.
- CAD / RX timeout.
- Payload length limits.
- CRC/Invert IQ flags.

Exercise: PHY ping-pong

SUBGHZ driver & events

- Radio state machine.

- IRQs: TX done / RX done.
- Timeouts & errors.
- TX/RX scheduling.
- Simple CLI prints.

Exercise: Event logger

Day 2

LoRaWAN stack (Class A)

- Project layout (MW/LmHandler).
- Join flow OTAA.
- ABP fallback basics.
- RX1/RX2 windows.
- Confirmed vs unconfirmed.

Exercise: Join + uplink

Regions & channels

- EU868 vs US915 notes.
- Channels & sub-bands.
- Dwell time/duty cycle.
- LinkADRReq handling.
- Data rate plan.

Exercise: Region switch

ADR & downlinks

- ADR enable/disable.
- SNR/RSSI reporting.
- Rx win params tuning.
- Confirmed retry policy.
- App port mapping.

Exercise: Downlink LED

Security & keys

- Keys & key derivation.
- DevEUI policy (from UID).
- NVM/bond storage.
- Reset and rejoin rules.
- Basic key hygiene.

Exercise: Key store check

Sensors & payloads

- Simple sensor interface.
- Payload encode/FRMPayload.
- FPort selection.
- Uplink interval policy.
- Error counters.

Exercise: Temp uplink

Day 3

Low-power with radio

- Sleep/Stop policies.

- Radio sleep/standby.
- RTC tickless scheme.
- Wake sources & latency.
- Measurement method.

Exercise: LP profiles

Range & link budget

- RSSI/SNR basics.
- SF/BW impact.
- Antenna orientation.
- TX power vs battery.
- Simple path-loss model.

Exercise: Range walk

FSK mode (alt PHY)

- Freq dev & bit-rate.
- Preamble & filter.
- Packet format.
- CRC settings.
- Sensitivity trade-off.

Exercise: FSK ping

Downlink control & MAC cmds

- LinkADRReq/DevStatusReq.
- DutyCycleReq basics.
- RXParamSetupReq.
- NewChannelReq.
- Error handling.

Exercise: MAC trace

OTA/DFU workflow

- Boot/slots concept.
- Image versioning.
- Failure recovery.
- Rollback notes.
- Basic script use.

Exercise: App OTA (demo)

Production checklist (wrap-up)

- Region & channels fixed.
- TX power & duty policy.
- Keys/NVM procedure.
- RF test points noted.
- UID/serial/CRC tags.

Exercise: Self-audit

Renseignements pratiques

Inquiry : 3 days