



RC2 - NEON-v8 programming

This course explains how to use ARMv8 NEON SIMD instructions to boost multimedia algorithms

Objectives

- This course has been designed for programmers wanting to run multimedia algorithms on NEON Single Instruction Multiple Data execute units on ARMv8 processors.
- Evolution of the NEON architecture between ARMv7 and ARMv8 is detailed.
- Each instruction family is detailed, first at assembly level, and then at C level using macros developed present in arm_neon.h file.
- Several tricky usage of processing instructions are provided.
- Vector and vector element load / store instructions are studied and guidelines for organizing data in memory are provided to minimize the number of memory accesses.
- The underlying cache operation as well as preload mechanisms (instruction and hardware prefetch) are detailed to explain how a processing can be pipelined .
- The course shows how DSP typical algorithms such as FIR and FFT can be vectorized and then optimized to be executed on NEON unit.
- Cryptographic operations are also detailed, with explanation of the supported algorithms.

Labs are compiled with GCC and run on a Linux Cortex-A53 board or a simulator

A more detailed course description is available on request at formation@ac6-formation.com

Prerequisites

- Knowledge of ARMv7 instruction sets.

Course Environment

- Theoretical course
 - PDF course material (in English) supplemented by a printed version.
 - The trainer answers trainees' questions during the training and provide technical and pedagogical assistance.
- Practical activities
 - Practical activities represent from 40% to 50% of course duration.
 - Code examples, exercises and solutions
 - One PC (Linux ou Windows) for the practical activities with, if appropriate, a target board.
 - ▶ One PC for two trainees when there are more than 6 trainees.
 - For onsite trainings:
 - ▶ An installation and test manual is provided to allow preinstallation of the needed software.
 - ▶ The trainer come with target boards if needed during the practical activities (and bring them back at the end of the course).
- Downloadable preconfigured virtual machine for post-course practical activities
- At the start of each session the trainer will interact with the trainees to ensure the course fits their expectations and correct if needed

Target Audience

- Any embedded systems engineer or technician with the above prerequisites.

Course Outline

Day 1

Introduction to NEON

- Clarifying the resources shared by NEON and the scalar floating point engine
- Explaining the AArch32 and AArch64 differences
- NEON Register banks
- S, D and Q registers (AArch32)
- B, H, S, D and V registers (AArch64)
- Data types
- Vector vs scalar
- Related system registers
- Alignment issues
- Enabling NEON
- Differences between NEONv7 and NEONv8

NEON instruction syntax

- Instructions producing wider / narrower results
- Instructions modifiers
- Selecting the shape
- Selecting the operand / result type
- Syntax flexibility
- Declaring initialized vectors in C language
- Using unions with vectors and arrays of vectors to simplify the debug
- Casting vectors

Data transfer instructions

- Move
- Swap
- Table lookup
- Vector transpose
- Vector zip / unzip
- Data transfer between NEON and integer unit
- Practical lab: clarifying narrow and long instructions, building a vector from bytes selected from a pair of vectors
- **Exercise:** Example: managing audio samples
- **Exercise:** Using load with de-interleaving instructions to store all right lane samples into a vector and left lane samples into another vector
- **Exercise:** Clarifying narrow and long instructions, building a vector from bytes selected from a pair of vectors

Arithmetic Instructions

- Arithmetic instructions
- Add, modulo vs saturated arithmetic
- Halving / Doubling the result
- Rounding
- Subtract
- Multiply
- Multiply accumulate / Multiply subtract
- Absolute value
- Min / Max
- **Exercise:** Implementing a complex multiply accumulate with NEON

- Conversion instructions
- Converting Floating Point numbers into Fixed point numbers
- Converting Fixed point numbers into Floating point numbers
- **Exercise:** Converting fixed-point elements into single precision floating point values and adding the resulting elements
- Advanced arithmetic instructions
- Reciprocal estimate, reciprocal square root estimate, Newton-raphson algorithm
- Pairwise instructions

Day 2

Logic and Bitfield Instructions

- Element comparison
- Logic instructions
- Logical AND, Bit Clear, OR, XOR
- Operations with immediate values
- Bitfield instructions
- Count Leading zeros, ones, signs
- Bitwise insert instructions
- Conditional bitwise insert instructions, avoiding branches
- Shifts with possible rounding and saturation
- Bitfield reverse
- **Exercise:** Transposing a matrix, shifting a large bitmap using vector instructions

NEON Cryptography Extension

- The Cryptography extension
- Algorithms supported
- AES
- SHA1
- SHA256

Optimizing techniques

- Automatic vectorization
- Tuning loops for optimal results
- Avoid loop feedbacks
- Avoid loop-dependent conditionals
- Avoid early termination
- Padding loops
- **Exercise:** Experimenting with loop auto-vectorization
- Pointers and arrays
- indirect addressing
- pointer aliasing and restrict
- **Exercise:** Using restrict to eliminate dependencies
- Function calls and inlining
- promises
- **Exercise:** Making promises to help the compiler optimize
- Avoiding data dependencies

NEON coding examples

- FIR filter
- Converting the scalar algorithm into a vector algorithm
- Finding the NEON instructions to encode the vector algorithm
- Optimizing the code
- Using the performance monitor to tune the algorithm

- FFT (DFT)
- Converting the scalar algorithm into a vector algorithm, understanding how circle properties can be used to process 4 angles concurrently
- Finding the NEON instructions to encode the vector algorithm
- Optimizing the code
- Using the performance monitor to tune the algorithm