



FF2 - MCF523X implementation

This course covers MCF523X ColdFire MCUs

Objectives

- The course explains how to write optimized based on pipeline knowledge.
- The memory controller parameterizing is detailed.
- The reset sequence is studied.
- The interrupt controller is viewed in detail.
- The course describes the implementation of the Fast Ethernet controller and the utilization of the cryptography modules.

- This course has been delivered several times to companies developing industrial and transportation equipments.
- Generation of DMA transfers terminated by interrupt

A lot of programming examples have been developed by ACSYS to explain the boot sequence and the operation of complex peripherals, such as Fast Ethernet.

- They have been developed with CodeWarrior compiler and are executed under CodeWarrior debugger.

A more detailed course description is available on request at formation@ac6-formation.com

Prerequisites

- Experience of a 32 bit processor or DSP is mandatory.

Related courses

- Ethernet and switching, reference cours [N1 - Ethernet and switching](#)
- USB 2.0, reference cours [IP2 - USB 2.0](#)
- CAN bus, reference cours [IA1 - CAN bus](#)
- eTPU, reference cours [FM3 - eTPU programming](#)

Environnement du cours

- Cours théorique
 - Support de cours au format PDF (en anglais) et une version imprimée lors des sessions en présentiel
 - Cours dispensé via le système de visioconférence Teams (si à distance)
 - Le formateur répond aux questions des stagiaires en direct pendant la formation et fournit une assistance technique et pédagogique
- Au début de chaque demi-journée une période est réservée à une interaction avec les stagiaires pour s'assurer que le cours répond à leurs attentes et l'adapter si nécessaire

Audience visée

- Tout ingénieur ou technicien en systèmes embarqués possédant les prérequis ci-dessus.

Plan du cours

INTRODUCTION TO MCF523X

Overview

- Coldfire roadmap
- 523X block diagram
- Pinout
- Memory mapped I/O organization

V2E CORE

CORE ARCHITECTURE

- V2E pipeline
- Addressing modes
- Branch, data transfer, arithmetic, logic, shift & rotate, bit instructions
- Mac instructions, implementation of a fixed-point DFT
- C to assembly interface
- Section definition, parameterizing the linker command file
- Exception management
- Internal SRAM
- 523X cache operation
- Power management

DEBUG FACILITIES

- Intrusive vs non-intrusive debug
- BDM port
- Hardware breakpoints
- Trace port

PLATFORM

RESET

- Reset sources
- Clocking
- Reset control flow
- Chip Configuration Module [CCM]
- Requirements of the boot routine

SYSTEM PERIPHERALS

- SCM
- The interrupt controller
- The Edge Port Module
- Watchdog timer module
- Programmable Interrupt Timer Modules

THE DMA CONTROLLER

- Channel prioritization
- Bandwidth control
- Transfer termination
- Utilization of DMA timers

HARDWARE IMPLEMENTATION

- Dynamic bus sizing
- Address decoding
- Data transfer sequence
- Burst cycles

THE MEMORY CONTROLLER AND THE SDRAM CONTROLLER

- The memory controller : SRAM/Flash connection, chip-select programming
- DRAM / SDRAM basics
- The 523X (S)DRAM controller : address decoding, refresh rate definition, address multiplexing selection

INTEGRATED I/Os

COMMUNICATION CONTROLLERS

- The UART Module
- The QSPI
- The I2C controller
- The FlexCAN controller
- The Fast Ethernet Controller

CRYPTOGRAPHY MODULES

- Message Digest Hardware Accelerator
- Random Number Generation
- Symmetric key hardware accelerator, introduction to data encryption standards
- Data flow, management of input and output FIFOs