



## FPQ7 - MPC832XE implementation

*This course covers PowerQUICC II Pro MPC8321, MPC8321E, MPC8323 and MPC8323E*

### Objectives

- The course clarifies the architecture of the MPC832XE and MPC8323E, particularly the operation of the coherency module that interconnects the e300 to memory and high-speed interfaces.
- Cache coherency protocol is introduced in increasing depth.
- The e300 core is viewed in detail, especially the MMU.
- The boot sequence and the clocking are explained.
- The course focuses on the hardware implementation of the MPC832XE.
- A long introduction to DDR SDRAM operation is done before studying the DDR1/2 SDRAM controller.
- Communication between CPUs through the PCI message unit is clarified.
- Interacting with the Security Engine through descriptors is studied as well as direct access to SEC registers.
- The course describes the sophisticated QoS mechanisms supported by the UCC Ethernet Controller.
- Regarding MPC8323E, a dedicated part on ATM controllers is proposed on request.
- Generation of a Linux image and Root File System by using LTIB can also be included into the training.

A more detailed course description is available on request at [formation@ac6-formation.com](mailto:formation@ac6-formation.com)

### Prerequisites and related courses

- The knowledge of the following interconnect standards may be required:
  - PCI, see our course reference cours [IC1 - PCI 3.0](#)
  - Gigabit Ethernet, see our course reference cours [N1 - Ethernet and switching](#)
  - USB 2.0, see our course reference cours [IP2 - USB 2.0](#)

### Environnement du cours

- Cours théorique
  - Support de cours au format PDF (en anglais) et une version imprimée lors des sessions en présentiel
  - Cours dispensé via le système de visioconférence Teams (si à distance)
  - Le formateur répond aux questions des stagiaires en direct pendant la formation et fournit une assistance technique et pédagogique
- Au début de chaque demi-journée une période est réservée à une interaction avec les stagiaires pour s'assurer que le cours répond à leurs attentes et l'adapter si nécessaire

### Audience visée

- Tout ingénieur ou technicien en systèmes embarqués possédant les prérequis ci-dessus.

# Plan du cours

## INTRODUCTION TO MPC832XE

### Overview

- Internal architecture
- Highlighting data paths inside the MPC832XE, benefit of a dual-DDR controller system
- Block diagram: characteristics of each of the 3 internal modules e300 core, Platform, QuiccEngine
- Software migration from MPC8XX/MPC82XX/MPC85XX families
- Application examples

### e300

### THE INSTRUCTION PIPELINE

- Superscalar operation
- Branch processing unit
- Branch instructions
- Coding guidelines

### DATA AND INSTRUCTION PATHS

- Load / store architecture
- Load / store buffers
- Sync and eieio instructions, determining where eieio is really required

### CACHES

- Cache basics
- Cache locking
- PLRU algorithm, highlighting the difference between a True LRU and the PLRU replacement algorithms
- Shared resource management, lwarx and stwxx. instructions
- Cache coherency mechanism, snooping
- Memory coherency required attribute
- The MEI state machine
- Basic snoop requests: clean / flush / kill
- Management of cache enabled pages shared with PCI DMAs
- Cache related instructions
- Software enforced cache coherency

### SOFTWARE IMPLEMENTATION

- PowerPC architecture specification, the 3 books UISA, VEA and OEA
- addressing modes, load / store instructions
- Integer instructions
- Rotate instructions
- PowerPC EABI
- Linking an application with Diab Data, parameterizing the linker command file

### THE MMU

- Thread vs process
- Introduction to real, block and segmentation / pagination translations

- Real mode restrictions
- Memory attributes and access rights definition
- Virtual space benefit
- TLBs organization
- Segment-translation: process ID definition
- Page-translation
- MMU implementation in real-time sensitive applications

## THE EXCEPTION MECHANISM

- Supervisor registers description
- Save / restore registers for non-critical interrupts
- Critical interrupt, automatic nesting
- Exception management mechanism
- Requirements to allow exception nesting

## THE DEBUG PORT

- JTAG emulation, restrictions
- Code instrumentation
- Hardware breakpoints

# THE PLATFORM CONFIGURATION

## POWER, RESET AND CLOCKING

- DC and AC electrical characteristics
- Configuration signals sampled at reset
- Reset configuration words source
- Utilization of the I2C boot sequencer
- PCI Host / Agent configuration
- Boot memory space
- Clocking in PCI Host mode, system clock domains
- External clock inputs
- System PLL ratio

## PLATFORM CONFIGURATION

- Address translation and mapping, local memory map, local access windows
- Arbiter and bus monitor
- Sequencer
- General purpose inputs / outputs
- Timers

## THE DDR2 MEMORY CONTROLLER

- DDR-SDRAM operation: a 128-Mbits DDR-SDRAM from Micron is used as an example
- Jedec specification basics, mode register initialization, bank selection and precharge
- On-Die termination and calibration
- Differences between DDR1 and DDR2
- Command truth table
- Bank activation, read, write and precharge timing diagrams, page mode
- DDR-SDRAM controller overview
- Initial configuration following Power-on-Reset
- Address decode
- Timing parameters programming
- Initialization routine

## LOCAL BUS CONTROLLER

- Multiplexed or non-multiplexed address and data buses
- Burst support
- Dynamic bus sizing
- GPCM, UPMs states machines
- Interfacing to ZBT SRAMs

## PCI BUS INTERFACES

- Bridge features
- Read prefetch and write posting FIFOs
- Inbound transactions handling, Outbound transactions handling in both modes
- PCI bus arbitration
- PCI hierarchy configuration when operating as host

## INTEGRATED DMA CONTROLLER

- Priority between the 4 channels
- Scatter / gathering
- Selectable hardware enforced coherency
- Concurrent execution across multiple channels with programmable bandwidth control
- Messaging unit

## INTEGRATED PROGRAMMABLE INTERRUPT CONTROLLER

- Interrupt sources
- Definition of interrupt priorities
- System critical interrupt
- Interrupt management, vector register
- Requirements to support nesting
- Machine check interrupts

## SECURITY ENGINE

- Introduction to DES, 3DES and AES algorithms
- Data descriptor
- Crypto channels
- Link tables
- Operation of DEU, MDEU and AESU
- Snooping by caches

## LOW SPEED PERIPHERALS

- Description of the NS16452/16552 compliant Uarts
- FIFO mode
- Flow control signal management
- I2C protocol fundamentals
- Transfer timing diagrams, SCL and SDA pins
- Transmit and receive sequence

## QUICC ENGINE

## SYSTEM INTERFACE AND CONNECTION TO EXTERNAL COMMUNICATION PORTS

- Serial DMA

- Multi-threading
- NMSI vs TDM
- Enabling connections to TSA or NMSI
- CMX registers
- Baud-rate generators

## **BUFFER MANAGEMENT**

- Utilization of Buffer Descriptors
- Chaining descriptors into rings
- Interrupt management
- Parameter RAM independent of protocol

## **SERIAL PERIPHERAL INTERFACE [On-request]**

- Introduction to SPI protocol
- SPI modes of operation
- SPI buffer descriptor
- Transmit and receive sequence

## **UNIFIED COMMUNICATION CONTROLLERS**

- UCC feature set
- Handling UCC interrupts
- Initialization sequence
- UCC for slow communications controllers, UART mode
- UCC for fast protocols, virtual FIFOs
- Defining Tx- and Rx-FIFO thresholds

## **UCC ETHERNET CONTROLLER**

- Physical interfaces to transceiver
- Auto-negotiation
- IP header checksum
- Flow control
- Frame filtering and address recognition, high level description of parse command descriptors
- Header parsing
- Quality of Service
- Interrupt coalescing
- Ethernet scheduler, traffic shaper
- BD and Parameter RAM description
- Ethernet statistics, MIB
- Ethernet host command set

## **QUICC MULTI-CHANNEL CONTROLLER [On request]**

- QMC and serial interface
- Memory organization
- UCC Base and Global multichannel parameters
- Channel-specific HDLC parameters
- QMC exceptions
- QMC host commands

## **USB [On request]**

- Host controller limitations
- Packet-level interface
- Transaction-level interface

- Endpoint parameters block pointer
- USB BD ring
- Host commands

## THE ATM CONTROLLER [On request, MPC8323E only]

### ATM BASICS

- ATM benefit compared to X.25 or ISDN
- Standardization and related links
- UNI and NNI network interfaces
- Cell format
- Virtual connection
- Layer model
- AAL1 layer: circuit emulation
- AAL3/4: used by the service providers
- AAL5: packet transfer

### ATM TRAFFIC MANAGEMENT

- The 5 service classes defined by the ATM forum: CBR, VBRrt, VBRnrt, UBR, ABR
- The QoS ATM attributes: PCR/CDVT, CLR, CTD/CDV
- Traffic policy
- Traffic shaping
- Early packet discard

### UTOPIA L2 BUS CONTROLLER

- Connection to 1 device through one UL2 Standard bus I/F
- Cell level handshake support
- Internal rate features
- Tx scheduling
- Rx cell transfer

### THE UCC ATM CONTROLLER

- Introduction: the adaptation layers and the service classes supported by the UCC
- APC unit: schedule tables, GCRA algorithm for VBR traffic
- VCI/VPI of incoming cells lookup
- OAM AAL0 cells management
- Performance monitoring
- ATM/TDM interworking
- ATM controller parameter RAM description
- RxBD and TxBD format according to the adaptation layer

### SERIAL ATM CONTROLLER

- Interworking between QMC and Serial ATM
- Transmit SAM features, payload scrambling
- Receive SAM features, cell delineation
- Run-time statistics
- Microcode TC Layer [MTC]

### INVERSE MULTIPLEXING FOR ATM - IMA

- IMA frame, control cells, filler cells
- IMA User Plane functions

- Transmit queue operation
- Cell reception task
- low-level statistic counters

## GENERATING THE LINUX KERNEL IMAGE

- Introducing the tools required to generate the kernel image
- What is required on the host before installing LTIB
- Common package selection screen
- Common target system configuration screen
- Building a complete BSP with the default configurations
- Creating a Root Filesystems image
- e-configuring the kernel under LTIB
- Selecting user-space packages
- Setup the bootloader arguments to use the exported RFS
- Debugging Uboot and the kernel by using Trace32
- Command line options
- Adding a new package
- Other deployment methods
- Creating a new package and integrating it into LTIB
  - A lot of labs have been created to explain the usage of LTIB