

FF2 - MCF523X implementation

This course covers MCF523X ColdFire MCUs

Objectives

- The course explains how to write optimized based on pipeline knowledge.
- The memory controller parameterizing is detailed.
- The reset sequence is studied.
- The interrupt controller is viewed in detail.
- The course describes the implementation of the Fast Ethernet controller and the utilization of the cryptography modules.
- This course has been delivered several times to companies developing industrial and transportation equipments.
- Generation of DMA transfers terminated by interrupt

A lot of programming examples have been developed by ACSYS to explain the boot sequence and the operation of complex peripherals, such as Fast Ethernet.

• They have been developed with CodeWarrior compiler and are executed under CodeWarrior debugger.

A more detailed course description is available on request at formation@ac6-formation.com

Prerequisites

- Experience of a 32 bit processor or DSP is mandatory.

Related courses

- Ethernet and switching, reference cours [N1 - Ethernet and switching](#)
- USB 2.0, reference cours [IP2 - USB 2.0](#)
- CAN bus, reference cours [IA1 - CAN bus](#)
- eTPU, reference cours [FM3 - eTPU programming](#)

Environnement du cours

- Cours théorique
 - Support de cours au format PDF (en anglais) et une version imprimée lors des sessions en présentiel
 - Cours dispensé via le système de visioconférence Teams (si à distance)
 - Le formateur répond aux questions des stagiaires en direct pendant la formation et fournit une assistance technique et pédagogique
- Au début de chaque demi-journée une période est réservée à une interaction avec les stagiaires pour s'assurer que le cours répond à leurs attentes et l'adapter si nécessaire

Audience visée

- Tout ingénieur ou technicien en systèmes embarqués possédant les prérequis ci-dessus.

Modalités d'évaluation

- Les prérequis indiqués ci-dessus sont évalués avant la formation par l'encadrement technique du stagiaire dans son entreprise, ou par le stagiaire lui-même dans le cas exceptionnel d'un stagiaire individuel.

- Les progrès des stagiaires sont évalués par des quizz proposés en fin des sections pour vérifier que les stagiaires ont assimilé les points présentés
- En fin de formation, une attestation et un certificat attestant que le stagiaire a suivi le cours avec succès.
 - En cas de problème dû à un manque de prérequis de la part du stagiaire, constaté lors de la formation, une formation différente ou complémentaire lui est proposée, en général pour conforter ses prérequis, en accord avec son responsable en entreprise le cas échéant.

Plan

INTRODUCTION TO MCF523X

Overview

- Coldfire roadmap
- 523X block diagram
- Pinout
- Memory mapped I/O organization

V2E CORE

CORE ARCHITECTURE

- V2E pipeline
- Addressing modes
- Branch, data transfer, arithmetic, logic, shift & rotate, bit instructions
- Mac instructions, implementation of a fixed-point DFT
- C to assembly interface
- Section definition, parameterizing the linker command file
- Exception management
- Internal SRAM
- 523X cache operation
- Power management

DEBUG FACILITIES

- Intrusive vs non-intrusive debug
- BDM port
- Hardware breakpoints
- Trace port

PLATFORM

RESET

- Reset sources
- Clocking
- Reset control flow
- Chip Configuration Module [CCM]
- Requirements of the boot routine

SYSTEM PERIPHERALS

- SCM
- The interrupt controller
- The Edge Port Module

- Watchdog timer module
- Programmable Interrupt Timer Modules

THE DMA CONTROLLER

- Channel prioritization
- Bandwidth control
- Transfer termination
- Utilization of DMA timers

HARDWARE IMPLEMENTATION

- Dynamic bus sizing
- Address decoding
- Data transfer sequence
- Burst cycles

THE MEMORY CONTROLLER AND THE SDRAM CONTROLLER

- The memory controller : SRAM/Flash connection, chip-select programming
- DRAM / SDRAM basics
- The 523X (S)DRAM controller : address decoding, refresh rate definition, address multiplexing selection

INTEGRATED I/Os

COMMUNICATION CONTROLLERS

- The UART Module
- The QSPI
- The I2C controller
- The FlexCAN controller
- The Fast Ethernet Controller

CRYPTOGRAPHY MODULES

- Message Digest Hardware Accelerator
- Random Number Generation
- Symmetric key hardware accelerator, introduction to data encryption standards
- Data flow, management of input and output FIFOs

Renseignements pratiques

Durée : 4 jours
Prix : 1950 € HT